

**RANGE** • PROFESSIONAL • HI-TECH

HI-TECH  
RANGES



# Professional range features

## Why Professional?

This range is to offer those who need superior performance products with features derived directly from large systems.

Designed to insert in kitchen cabinets, the Professional line features maximum solidity, functionality, safety, and design. These products are a benchmark for cooking enthusiasts and for those who wish to cook professionally at home in total safety guaranteed by CE certification.

## Hobs

A wide range with a modular system allows diversified burners with power levels from 1.8 to 4.3 kW. Sturdy cast iron grills create a single work surface with a double advantage. Pots are more stable and therefore more safe and can be moved from one burner to another without lifting. All models are equipped with a thermocouple safety valve that ensure immediate gas interruption in the event of an anomaly or accidental extinguishing of the burner.



### Stainless steel feet

Height from 10 to 16 cm



### Plate warmer compartment

Ideal for heating plates while the oven is being used.

**All Professional ranges are 60 cm deep.**

## The entire Professional series comes with:

- **Triple glass cold door** (see page 20)
- **Tangential fan** (see page 21)
- **Sturdy cast iron grills** (see page 22)
- **Safety valves on burners** (see page 22)
- **Electric ignition built into the knobs** (see page 22)
- **Lower plate warmer compartment**

## Versions available

### LASER LINE



#### COLOURS:

STAINLESS STEEL

### TRADITION



#### COLOURS:

STAINLESS STEEL

GRAPHITE/MAT

## Finishes




Standard HI TECH knobs and handles

# P60




## LASER LINE



## COLOURS:

STAINLESS STEEL

## TRADITION




## COLOURS:

STAINLESS STEEL

GRAPHITE/MAT

## DEPTH 60



# P60

## OVEN:



### GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

### 600 M - MULTI-FUNCTION OVEN 600


#### OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

#### CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

#### 9 FUNCTIONS



### 600 VG - VENTILATED GAS OVEN 600


#### OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

#### CONSUMPTION


- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

#### 4 FUNCTIONS



## HOBBS:

### 4 burners



 **ACCESSORIES**  
PAGE 31,35

#### 600 M

P60LMP LASER LINE

P60MP TRADITION

#### 600 VG

P60LVG LASER LINE

P60VG TRADITION

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW  
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW  
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



**ACCESSORIES FOR ALL OVENS**  
PAGE 26 - 27


**FEET: PAGE 30**  
**TOE STRIPS: PAGE 34**

**CLEANING KIT: PAGE 35**

# P70




## LASER LINE



## COLOURS:

STAINLESS STEEL

## TRADITION




## COLOURS:

STAINLESS STEEL


GRAPHITE/MAT

## DEPTH 60



# P70

## OVEN:



### GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

### 600 M - MULTI-FUNCTION OVEN 600

#### OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

#### CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: / Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

#### 9 FUNCTIONS



### 600 VG - VENTILATED GAS OVEN 600


#### OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

#### CONSUMPTION


- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

#### 4 FUNCTIONS



## HOBBS:

### 4 burners



 **ACCESSORIES**  
PAGE 31,35

#### 600 M

P70LMP LASER LINE

P70MP TRADITION

#### 600 VG

P70LVG LASER LINE

P70VG TRADITION

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW  
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW  
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



**ACCESSORIES FOR ALL OVENS**  
PAGE 26 - 27


**FEET: PAGE 30**  
**TOE STRIPS: PAGE 34**

**CLEANING KIT: PAGE 35**

# P80




## LASER LINE



## COLOURS:

STAINLESS STEEL

## TRADITION




## COLOURS:

STAINLESS STEEL

GRAPHITE/MAT

## DEPTH 60





# P80

## OVEN:



### GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

## 900 M - MULTIFUNCTION MAXI OVEN

### OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class B **B**
- Cooking temperature 50-250°C
- Double probe thermostat

### CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: / Electric grill 2200 W / Top 800 W / Bottom 1500 W / circular 2400 W

### 9 FUNCTIONS



## 900 VG - VENTILATED GAS MAXI OVEN


### OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

### CONSUMPTION


- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

### 4 FUNCTIONS



## HOBS:

### Fish pan



ACCESSORIES  
PAGE 31,35

### 900 M

P80LMP LASER LINE

P80MP TRADITION

### 900 VG

P80LVG LASER LINE

P80VG TRADITION

Fish pan burner: max 3,1 kW - min 1 kW

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW

Small burner: ø 55 mm: max 1,8 - min 0,4 kW



ACCESSORIES FOR ALL OVENS  
PAGE 26 - 27


FEET: PAGE 30  
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

# P90




## LASER LINE



## COLOURS:

STAINLESS STEEL

## TRADITION




## COLOURS:

STAINLESS STEEL

GRAPHITE/MAT

## DEPTH 60



# P90

## OVEN:



### GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

## 900 M - MULTIFUNCTION MAXI OVEN

### OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class **B**
- Cooking temperature 50-250°C
- Double probe thermostat

### CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 800 W / Bottom 1500 W / circular 2400 W

### 9 FUNCTIONS



## 900 VG - VENTILATED GAS MAXI OVEN

### OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

### CONSUMPTION


- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

### 4 FUNCTIONS



## HOBBS:

### 6 burners



ACCESSORIES  
PAGE 31,35

#### 900 M


P906LMP LASER LINE  
P906MP TRADITION

#### 900 VG

P906LVG LASER LINE  
P906VVG TRADITION

Triple ring burner:  $\varnothing$  120 mm: max 4,3 kW - min 1,7 kW  
Three large burners: 3 x  $\varnothing$  70 mm: max 2,6 - min 0,6 kW  
Two small burners: 2 x  $\varnothing$  55 mm: max 1,8 - min 0,4 kW

### Fish pan



ACCESSORIES  
PAGE 31,35

#### 900 M


P90LMP LASER LINE  
P90MP TRADITION

#### 900 VG

P90LVG LASER LINE  
P90VVG TRADITION

Fish pan burner: max 3,1 kW - min 1 kW  
Triple ring burner:  $\varnothing$  120 mm: max 4,3 kW - min 1,7 kW  
Two large burners: 2 x  $\varnothing$  70 mm: max 2,6 - min 0,6 kW  
Small burner:  $\varnothing$  55 mm: max 1,8 - min 0,4 kW

### Fry-Top



ACCESSORIES  
PAGE 28-29,  
31, 35

#### 900 M

P90FLMP LASER LINE  
P90FMP TRADITION

#### 900 VG

P90FLVG LASER LINE  
P90FVG TRADITION

Fry Top "full size" gas plate  
Fish pan burner 3,1 kW - min 1kW  
Triple ring burner:  $\varnothing$  120 mm: max 4,3 kW - min 1,7 kW  
Two large burners: 2 x  $\varnothing$  70 mm: max 2,6 - min 0,6 kW  
Small burner:  $\varnothing$  55 mm: max 1,8 - min 0,4 kW

ACCESSORIES FOR ALL OVENS  
PAGE 26 - 27


FEET: PAGE 30  
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

# PD90




## LASER LINE



## COLOURS:

STAINLESS STEEL

## TRADITION




## COLOURS:

STAINLESS STEEL


GRAPHITE/MAT

## DEPTH 60



# PD90

## MAIN OVEN LEFT:




← 60 →

### GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

## SECONDARY OVEN RIGHT:



← 30 →

### GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

## 600 M - MULTI-FUNCTION OVEN 600


### OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

### CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption:
- Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

### 9 FUNCTIONS



## 600 VG - VENTILATED GAS OVEN 600

### OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

### CONSUMPTION

- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

### 4 FUNCTIONS



## 300 E - MINI STATIC ELECTRIC OVEN 300

### OVEN FEATURES

- Internal oven dimensions: 25,7x32,5x43,5 - 36 litres
- Energy class A **A**
- Cooking temperature 50-250°C
- Thermostat

### CONSUMPTION


- Maximum absorption 1,7 kW
- Heating element absorption: Electric grill 1500 W / Top 800 W / Bottom 800 W

### 4 FUNCTIONS



## HOBBS:

### 6 burners



ACCESSORIES  
PAGE 31,35

#### 600 M + 300 E


PD906LMP LASER LINE  
PD906MP TRADITION

#### 600 VG + 300 E

PD906LVG LASER LINE  
PD906VG TRADITION

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW  
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW  
Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW

### Fish pan



ACCESSORIES  
PAGE 31,35

#### 600 M + 300 E


PD90LMP LASER LINE  
PD90MP TRADITION

#### 600 VG + 300 E

PD90LVG LASER LINE  
PD90VG TRADITION

Fish pan burner: max 3,1 kW - min 1 kW  
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW  
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW  
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

### Fry-Top



ACCESSORIES  
PAGE 28-29,  
31, 35

#### 600 M + 300 E

PD90FLMP LASER LINE  
PD90FMP TRADITION

#### 600 VG + 300 E

PD90FLVG LASER LINE  
PD90FVG TRADITION

Fry Top "full size" gas plate Fish pan burner 3,1 kW - min 1 kW  
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW  
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW  
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

ACCESSORIES FOR ALL OVENS  
PAGE 26 - 27


FEET: PAGE 30  
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

# PD100




## LASER LINE



### COLOURS:

STAINLESS STEEL

## TRADITION




### COLOURS:

STAINLESS STEEL


GRAPHITE/MAT

## DEPTH 60



# PD100


## MAIN OVEN LEFT:



### GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

## SECONDARY OVEN RIGHT:



### GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

## 600 M - MULTI-FUNCTION OVEN 600


### OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

### CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

### 9 FUNCTIONS



## 600 VG - VENTILATED GAS OVEN 600

### OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

### CONSUMPTION

- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

### 4 FUNCTIONS



## 400 E - MIDI STATIC ELECTRIC OVEN 400

### OVEN FEATURES

- Internal oven dimensions: 35,7x32,5x43 - 50 litres
- Energy class A **A**
- Cooking temperature 50-250°C
- Thermostat

### CONSUMPTION


- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

### 4 FUNCTIONS



## HOBBS:

### 6 burners



ACCESSORIES  
PAGE 31,35

#### 600 M + 400 E

PD1006LMP LASER LINE

PD1006MP TRADITION


#### 600 VG + 400 E

PD1006LVG LASER LINE

PD1006VG TRADITION

Two triple ring burners:  
2 x ø 120 mm: max 4,3 kW - min 1,7 kW  
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW  
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

### Fry-Top



ACCESSORIES  
PAGE 28-29,  
31, 35

#### 600 M + 400 E

PD100FLMP LASER LINE

PD100FMP TRADITION

#### 600 VG + 400 E

PD100FLVG LASER LINE

PD100FVG TRADITION

Fry Top "full size" gas plate - Fish pan burner 3,1 kW - min 1kW  
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW  
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW  
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

ACCESSORIES FOR ALL OVENS  
PAGE 26 - 27

FEET: PAGE 30  
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35