









RANGE • MAJESTIC • ANTIQUE



MCA70



COLOURS:

- | | |
|---|---|
|  ANTIQUE WHITE |  WHITE |
|  BLUE |  STAINLESS STEEL |
|  GRAPHITE/MAT |  BURGUNDY |
|  EMERALD GREEN |  OPTIONAL RAL |

STANDARD FINISHES:



BRASS

OPTIONAL FINISHES:




CHROME **No surcharge**




BURNISHED **With surcharge**

FRONT VIEW




DEPTH 70



MCA70

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 SA - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety
- Cooking probe
- Self-cleaning panels

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 VG A - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat
- Self-cleaning panels

CONSUMPTION


- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS



HOBBS:

4 burners



ACCESSORIES
PAGE 31,35

600 E3 SA

MCA70DE3
BRASS / CHROME
BURNISHED

600 VG A

MCA70DVG
BRASS / CHROME
BURNISHED

DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

OPTIONAL:



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27







FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

MCA76



COLOURS:

- | | |
|---|---|
|  ANTIQUE WHITE |  WHITE |
|  BLUE |  STAINLESS STEEL |
|  BURGUNDY |  EMERALD GREEN |

OPTIONAL RAL

STANDARD FINISHES:



BRASS

OPTIONAL FINISHES:




CHROME **No surcharge**




BURNISHED **With surcharge**

FRONT VIEW




DEPTH 70



MCA76

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

700 E3 SA - ELECTRONIC MAXI OVEN 700

OVEN FEATURES

- Internal oven dimensions: 54x34x41,5 - 76 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety
- Cooking probe
- Self-cleaning panels

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 900 W / Bottom 1500 W / Circular 2400 W

10 FUNCTIONS



700 VG A - VENTILATED GAS MAXI OVEN 700

OVEN FEATURES

- Internal oven dimensions: 54x31x41 - 69 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat
- Self-cleaning panels

CONSUMPTION


- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,3 kW

4 FUNCTIONS



HOBS:

5 burners



ACCESSORIES
PAGE 31,35

700 E3 SA

MCA76DE3 BRASS / CHROME
BURNISHED

700 VG A

MCA76DVG BRASS / CHROME
BURNISHED

DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW

OPTIONAL:



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

RANGE • MAJESTIC • ANTIQUE

MCA90



MCA90

STANDARD FINISHES:



BRASS

OPTIONAL FINISHES:




CHROME **No surcharge**




BURNISHED **With surcharge**

FRONT VIEW



DEPTH 70



COLOURS:



ANTIQUE WHITE



WHITE



BLUE



STAINLESS STEEL



GRAPHITE/MAT



BURGUNDY




EMERALD GREEN



OPTIONAL RAL

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

900 E3 SA - ELECTRONIC MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety
- Cooking probe
- Self-cleaning panels

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 800 W / Bottom 1500 W / circular 2400 W

10 FUNCTIONS



900 VG A - VENTILATED GAS MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat
- Self-cleaning panels

CONSUMPTION

- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

4 FUNCTIONS



OPTIONAL:



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27


FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

MCA90

HOBS:

6 burners



ACCESSORIES
PAGE 31,35

900 E3 SA


MCA906DE3 BRASS /CHROME
BURNISHED

900 VG A

MCA906DVG BRASS /CHROME
BURNISHED

DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fish pan



ACCESSORIES
PAGE 31,35

900 E3 SA


MCA90PDE3 BRASS /CHROME
BURNISHED

900 VG A

MCA90PDVG BRASS /CHROME
BURNISHED

Fish pan burner: max 3,1 kW - min 1 kW
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



ACCESSORIES
PAGE 28-29,
31, 35

900 E3 SA


MCA90FDE3 BRASS /CHROME
BURNISHED

900 VG A

MCA90FDVG BRASS /CHROME
BURNISHED

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fryer




ACCESSORIES
PAGE 31,35

900 E3 SA

MCA90RDE3 BRASS /CHROME
BURNISHED

Electric fryer
Absorption 2,3 kW
Thermostat
2.5 litre removable oil tray
1 Kg basket
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



ACCESSORIES
PAGE 31,35

900 E3 SA


MCA90BDE3 BRASS /CHROME
BURNISHED

900 VG A

MCA90BDVG BRASS /CHROME
BURNISHED

Electric barbecue
Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

2 induction zones



ACCESSORIES
PAGE 31,35

900 E3 SA


MCA90IDE3 BRASS /CHROME
BURNISHED

Two zone induction
Absorption 2 x 1,85 kW - maximum 3,7 kW
Digital display
Dial controls
Stainless steel
Child protective lock
9 power levels
Automatic reheating function
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

MCA90

HOBS:

Glass ceramic



900 E3 SA


MCAE90E3

BRASS /CHROME

BURNISHED

A: 2 glass ceramic zones Ø 150 mm 1.2 kW
 B: 1 double circuit glass ceramic zone Ø 210/120 mm 2,2 kW/0,75 Kw
 C: 1 glass ceramic zone Ø 180 mm 1.80 kW
 D: 1 oval double circuit glass ceramic zone L270/Ø 175 mm 2.4 kW/1.5 kW
 Hob maximum power 8,8 kW

Induction



900 E3 SA

MCAI90E3

BRASS /CHROME

BURNISHED

A: 1 induction zone Ø 145 mm 1,4 kW
 B: 2 induction zones Ø 180 mm 1,85 kW
 C: 1 induction zone Ø 210 mm 2,3 kW
 D: 1 induction zone Ø 260 mm 2,4 kW
 Hob maximum power 9,8 kW

RANGE • MAJESTIC • ANTIQUE

MCA150



MCA150

STANDARD FINISHES:



BRASS

OPTIONAL FINISHES:




CHROME **No surcharge**




BURNISHED **With surcharge**

FRONT VIEW




DEPTH 70



COLOURS:



MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

900 E3 SA - ELECTRONIC MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety
- Cooking probe
- Self-cleaning panels

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W
- Top 800 W / Bottom 1500 W / circular 2400 W

10 FUNCTIONS



900 VG A - VENTILATED GAS MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat
- Self-cleaning panels

CONSUMPTION

- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

4 FUNCTIONS



OPTIONAL:




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

MCA150

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

600 E3 A - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety
- Self-cleaning panels

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 M A - MULTI-FUNCTION OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat
- Self-cleaning panels

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W


9 FUNCTIONS



MCA150

HOBS:

Fry-Top



 ACCESSORIES
PAGE 28-29,
31, 35

900 E3 SA + 600 E3 A

MCA150FDE3 BRASS /CHROME
BURNISHED

900 VG A + 600 M A

MCA150FDVG BRASS /CHROME
BURNISHED

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Coup de Feu



 ACCESSORIES
PAGE 31,35

900 E3 SA + 600 E3 A


MCA150SDE3 BRASS /CHROME
BURNISHED

900 VG A + 600 M A

MCA150SDVG BRASS /CHROME
BURNISHED

"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top + Coup de Feu



 ACCESSORIES
PAGE 28-29,
31, 35

900 E3 SA + 600 E3 A


MCA150FSDE3 BRASS /CHROME
BURNISHED

900 VG A + 600 M A

MCA150FSDVG BRASS /CHROME
BURNISHED

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Fish pan burner: max 3,1 kW - min 1 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry top + Fryer




 ACCESSORIES
PAGE 28-29,
31, 35

900 E3 SA + 600 E3 A

MCA150FRDE3 BRASS /CHROME
BURNISHED

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Electric fryer
Absorption 2,3 kW
Thermostat
2,5 litre removable oil tray
1 Kg basket
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



 ACCESSORIES
PAGE 31,35

900 E3 SA + 600 E3 A

MCA150BDE3 BRASS /CHROME
BURNISHED

900 VG A + 600 M A

MCA150BDVG BRASS /CHROME
BURNISHED

Electric barbecue
Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
DUAL burner: ø 120 mm: max 5,0 - min 0,37 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW