

RANGE • PROFESSIONAL • NOSTALGIE

NOSTALGIE
RANGES



Professional range features

Why Professional?

This range offers those who need superior performance, products with features derived directly from commercial cookers.

Designed to insert in kitchen cabinets, the Professional line features maximum solidity, functionality, safety, and design. These products are a benchmark for cooking enthusiasts and for those who wish to cook professionally at home in total safety guaranteed by CE certification.

Hobs

A wide range with a modular system allows diversified burners with power levels from 1.8 to 4.3 kW. Sturdy cast iron grills create a single work surface with a double advantage. Pots are more stable and therefore more safe and can be moved from one burner to another without lifting. All models are equipped with a thermocouple safety valve that ensure immediate gas interruption in the event of an anomaly or accidental extinguishing of the burner.



Stainless steel feet

Height from 10 to 16 cm



Plate warmer compartment

Ideal for heating plates while the oven is being used.

All Professional ranges are 60 cm deep.

The entire Professional series comes with:

- **Triple glass cold door** (see page 20)
- **Tangential fan** (see page 21)
- **Sturdy cast iron grills** (see page 22)
- **Safety valves on burners** (see page 22)
- **Electric ignition built into the knobs** (see page 22)
- **Lower plate warmer compartment**

Colours



STAINLESS STEEL



ANTIQUE WHITE



GRAPHITE/MAT



BURGUNDY

Finishes

Pat. model.



BRASS

Standard brass knobs and handles

Pat. model.





CHROME

Chrome knobs and handles on request

P60N



COLOURS:

- | | |
|---|---|
|  ANTIQUE WHITE |  STAINLESS STEEL |
|  GRAPHITE/MAT |  BURGUNDY |


STANDARD FINISHES:




OPTIONAL FINISHES:



FRONT VIEW



DEPTH 60



P60N

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 M - MULTI-FUNCTION OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

9 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS



HOBS:

4 burners



 **ACCESSORIES**
PAGE 31,35

600 M

P60NMP BRASS / CHROME

600 VG

P60NVG BRASS / CHROME

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

P70N



COLOURS:

- | | |
|---|---|
|  ANTIQUE WHITE |  STAINLESS STEEL |
|  GRAPHITE/MAT |  BURGUNDY |


STANDARD FINISHES:




OPTIONAL FINISHES:



FRONT VIEW



DEPTH 60



P70N

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 M - MULTI-FUNCTION OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

9 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS



HOBBS:

4 burners



 **ACCESSORIES**
PAGE 31,35

600 M

P70NMP BRASS / CHROME

600 VG

P70NVG BRASS / CHROME

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

P80N



COLOURS:

- | | |
|---|---|
|  ANTIQUE WHITE |  STAINLESS STEEL |
|  GRAPHITE/MAT |  BURGUNDY |

STANDARD FINISHES:




BRASS

OPTIONAL FINISHES:




CHROME **No surcharge**

FRONT VIEW



DEPTH 60



P80N

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

900 M - MULTIFUNCTION MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class B **B**
- Cooking temperature 50-250°C
- Double probe thermostat

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 800 W / Bottom 1500 W / circular 2400 W

9 FUNCTIONS



900 VG - VENTILATED GAS MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

4 FUNCTIONS



HOBBS:

Fish pan



ACCESSORIES
PAGE 31,35

900 M

P80NMP BRASS / CHROME

900 VG

P80NVG BRASS / CHROME

Fish pan burner: max 3,1 kW - min 1 kW

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW

Small burner: ø 55 mm: max 1,8 - min 0,4 kW



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

P90N



COLOURS:

- | | |
|---|---|
|  ANTIQUE WHITE |  STAINLESS STEEL |
|  GRAPHITE/MAT |  BURGUNDY |

STANDARD FINISHES:




BRASS

OPTIONAL FINISHES:




CHROME **No surcharge**

FRONT VIEW




DEPTH 60



P90N

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

900 M - MULTIFUNCTION MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class **B**
- Cooking temperature 50-250°C
- Double probe thermostat

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 800 W / Bottom 1500 W / circular 2400 W

9 FUNCTIONS



900 VG - VENTILATED GAS MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

4 FUNCTIONS



HOB:

6 burners



ACCESSORIES
PAGE 31,35

900 M


P906NMP BRASS /CHROME

900 VG

P906NVG BRASS /BRASS

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW

Fish pan



ACCESSORIES
PAGE 31,35

900 M


P90NMP BRASS /CHROME

900 VG

P90NVG BRASS /CHROME

Fish pan burner: max 3,1 kW - min 1 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



ACCESSORIES
PAGE 28-29,
31, 35

900 M

P90FNMP BRASS /CHROME

900 VG

P90FNVG BRASS /CHROME

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

RANGE • PROFESSIONAL • NOSTALGIE

PD90N



PD90N

STANDARD FINISHES:




BRASS

OPTIONAL FINISHES:




CHROME **No surcharge**

FRONT VIEW



DEPTH 60



COLOURS:



ANTIQUÉ WHITE



STAINLESS STEEL



GRAPHITE/MAT



BURGUNDY

MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 M - MULTI-FUNCTION OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

9 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

PD90N

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

300 E - MINI STATIC ELECTRIC OVEN 300

OVEN FEATURES

- Internal oven dimensions: 25,7x32,5x43,5 - 36 litres
- Energy class A **A**
- Cooking temperature 50-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 1,7 kW
- Heating element absorption: Electric grill 1500 W / Top 800 W / Bottom 800 W

4 FUNCTIONS



HOBBS:

6 burners



ACCESSORIES
PAGE 31,35

600 M + 300 E


PD906NMP BRASS /CHROME

600 VG + 300 E

PD906NVG BRASS /CHROME

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW

Fish pan



ACCESSORIES
PAGE 31,35

600 M + 300 E


PD90NMP BRASS /CHROME

600 VG + 300 E

PD90NVG BRASS /CHROME

Fish pan burner: max 3,1 kW - min 1 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



ACCESSORIES
PAGE 28-29,
31, 35

600 M + 300 E

PD90FNMP BRASS /CHROME

600 VG + 300 E

PD90FNVG BRASS /CHROME

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

RANGE • PROFESSIONAL • NOSTALGIE

PD100N



PD100N

STANDARD FINISHES:




BRASS

OPTIONAL FINISHES:




CHROME **No surcharge**

FRONT VIEW



DEPTH 60



COLOURS:



ANTIQUÉ WHITE



STAINLESS STEEL




GRAPHITE/MAT



BURGUNDY

MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 M - MULTI-FUNCTION OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

9 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

CLEANING KIT: PAGE 35

PD100N

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

400 E - MIDI STATIC ELECTRIC OVEN 400


OVEN FEATURES

- Internal oven dimensions: 35,7x32,5x43 - 50 litres
- Energy class A **A**
- Cooking temperature 50-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

4 FUNCTIONS



HOBBS:

6 burners



ACCESSORIES
PAGE 31,35

600 M + 400 E


PD1006NMP BRASS /CHROME

600 VG + 400 E

PD1006NVG BRASS /CHROME

Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



ACCESSORIES
PAGE 28-29,
31, 35

600 M + 400 E

PD100FNMP BRASS /CHROME

600 VG + 400 E

PD100FNVG BRASS /CHROME

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW