

RANGE • QUADRA CLASSIC

QUADRA
RANGES



Quadra Classic range features

Why Quadra Classic?

This range is designed to merge the “new classic” country flavour with a modern look. The warm colours combined with the stainless steel frames and Techno finishes give the cooker a fresh, yet decisive design. It has the same high performance characteristics as the Professional Plus series.

Hobs

A wide range with a modular system allows diversified burners with power levels from 1.8 to 5 kW. Sturdy cast iron grills create a single work surface with a double advantage. Pots are more stable and therefore more safe and can be moved from one burner to another without lifting. All models are equipped with a thermocouple safety valve that ensure immediate gas interruption in the event of an anomaly or accidental extinguishing of the burner.



Stainless steel feet

Height from 10 to 16 cm



Plate warmer drawer

Drawer ideal for heating plates while the oven is being used.

All Quadra Classic ranges are 60 cm deep.

The entire Quadra Classic line comes with:

- **Triple glass cold door** (see page 20)
- **Tangential fan** (see page 21)
- **Sturdy cast iron grills** (see page 22)
- **Safety valves on burners** (see page 22)
- **Electric ignition built into the knobs** (see page 22)
- **Plate warmer drawer**
- **Large knobs and handles**

Colours



GRAPHITE/MAT



BLUE



EMERALD GREEN



BURGUNDY



ANTIQUE WHITE



OPTIONAL RAL

Versions available



BLIND DOOR



WINDOW

Finishes



Standard TECHNO knobs and handles


RANGE • QUADRA CLASSIC

QDC90




QDC90


BLIND DOOR



WINDOW



DEPTH 60



COLOURS



ANTIQUE WHITE



BLUE



GRAPHITE/MAT



BURGUNDY



EMERALD GREEN



OPTIONAL RAL

MAIN OVEN LEFT:



← 60 →

GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

QDC90

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

600 E3 - MINI STATIC ELECTRONIC OVEN 300

OVEN FEATURES

- Internal oven dimensions: 25,7x32,5x43,5 - 36 litres
- Electronic programmer
- Energy class A+ **A+**
- Electronic temperature control
- Cooking temperature 30-250°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION


- Maximum absorption 1,7 kW
- Heating element absorption: Electric grill 1500 W / Top 800 W / Bottom 800 W

5 FUNCTIONS



HOBS:

Fish pan



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35


600 E3 + 300 E3

QDC90E3 BLIND DOOR

QDC90WE3 WINDOW

Fish pan burner: max 3,1 kW - min 1 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35

600 E3 + 300 E3

QDC90FE3 BLIND DOOR


QDC90FWE3 WINDOW

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

QDC90

HOBS:

Fryer



 **OPTIONAL DUAL 5KW**

 **ACCESSORIES PAGE 31,35**


600 E3 + 300 E3

QDC90RE3 BLIND DOOR

QDC90RWE3 WINDOW

Electric fryer
Absorption 2,3 kW
Thermostat
2.5 litre removable oil tray
1 Kg basket
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



 **OPTIONAL DUAL 5KW**

 **ACCESSORIES PAGE 31,35**


600 E3 + 300 E3

QDC90BE3 BLIND DOOR

QDC90BWE3 WINDOW

Electric barbecue
Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

2 induction zones



 **OPTIONAL DUAL 5KW**

 **ACCESSORIES PAGE 31,35**


600 E3 + 300 E3

QDC90IE3 BLIND DOOR

QDC90IWE3 WINDOW

Digital display
Dial controls
Stainless steel
Child protective lock
9 power levels
Automatic reheating function
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two zone induction
Absorption 2 x 1,85 kW - maximum 3,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Glass ceramic




600 E3 + 300 E3

QDCE90E3 BLIND DOOR

QDCE90WE3 WINDOW

A: 2 glass ceramic zones Ø 150 mm 1.2 kW
B: 1 double circuit glass ceramic zone Ø 210/120 mm 2,2 kW/0,75 Kw
C: 1 glass ceramic zone Ø 180 mm 1.80 kW
D: 1 oval double circuit glass ceramic zone L270/Ø 175 mm 2.4 kW/1.5 kW
Hob maximum power 8,8 kW

Induction



600 E3 + 300 E3


QDCI90E3 BLIND DOOR

QDCI90WE3 WINDOW

A: 1 induction zone Ø 145 mm 1,4 kW
B: 2 induction zones Ø 180 mm 1,85 kW
C: 1 induction zone Ø 210 mm 2,3 kW
D: 1 induction zone Ø 260 mm 2,4 kW
Hob maximum power 9,8 kW



OPTIONAL:

 **DUAL BURNER 5KW**


RANGE • QUADRA CLASSIC

QDC100




QDC100


BLIND DOOR



WINDOW



DEPTH 60



COLOURS

ANTIQUE WHITE

BLUE


GRAPHITE/MAT

BURGUNDY

EMERALD GREEN

OPTIONAL RAL

MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

QDC100

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

400 E3 - MIDI STATIC ELECTRONIC OVEN 400

OVEN FEATURES

- Internal oven dimensions: 36x35x45 - 43,7 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-250°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

5 FUNCTIONS



400 W - MIDI MICROWAVE 400

OVEN FEATURES

- Internal oven dimensions: 30x32x43 - 35 litres
- Microwave 500/800/1000 W
- Defrosting 270 W
- Combi grill + microwave 800 W
- Combi grill + microwave 500 W
- Grill
- Timer
- Rotating plate ø 27 cm

CONSUMPTION


- Maximum absorption 3,2 kW
- Electric grill 1600 W
- Microwave power 1000 W

7 FUNCTIONS (MICROWAVE/COMBI/GRILL)



HOBS:

6 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 400 E3

QDC1006E3 BLIND DOOR

QDC1006WE3 WINDOW


600 E3 + 400 W

QDC1006E3W BLIND DOOR

QDC1006WE3W WINDOW

Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35

600 E3 + 400 E3

QDC100FE3 BLIND DOOR

QDC100FWE3 WINDOW

600 E3 + 400 W

QDC100FE3W BLIND DOOR


QDC100FWE3W WINDOW

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

QDC100

HOBS:

Coup de Feu




600 E3 + 400 E3

QDC100SE3 BLIND DOOR

QDC100SWE3 WINDOW

"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fryer



600 E3 + 400 E3

QDC100RE3 BLIND DOOR

QDC100RWE3 WINDOW

Electric fryer
Absorption 2,3 kW
Thermostat
2.5 litre removable oil tray
1 Kg basket
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

2 induction zones




600 E3 + 400 E3

QDC100IE3 BLIND DOOR

QDC100IWE3 WINDOW

Digital display
Dial controls
Stainless steel
Child protective lock
9 power levels
Automatic reheating function
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW
Two zone induction
Absorption 2 x 1,85 kW - maximum 3,7 kW

Glass ceramic



600 E3 + 400 E3

QDCE100E3 BLIND DOOR

QDCE100WE3 WINDOW


600 E3 + 400 W

QDCE100E3W BLIND DOOR

QDCE100WE3W WINDOW

A: 2 glass ceramic zones Ø 150 mm 1.2 kW
B: 2 double circuit glass ceramic zones Ø 210/120 mm 2,2 kW/0,75 Kw
C: 1 glass ceramic zone Ø 180 mm 1.80 kW
D: 1 oval double circuit glass ceramic zone L270/Ø 175 mm 2.4 kW/1.5 kW
Hob maximum power 11 kW

Induction



600 E3 + 400 E3

QDCI100E3 BLIND DOOR

QDCI100WE3 WINDOW

600 E3 + 400 W

QDCI100E3W BLIND DOOR

QDCI100WE3W WINDOW

A: 2 induction zones Ø 145 mm 1,4 kW
B: 2 induction zones Ø 180 mm 1,85 kW
C: 2 induction zones Ø 210 mm 2,3 kW
Hob maximum power 11,1 kW



OPTIONAL:



DUAL BURNER 5KW


RANGE • QUADRA CLASSIC

QDC120




QDC120


BLIND DOOR



WINDOW



DEPTH 60



COLOURS



ANTIQUE WHITE



BLUE



GRAPHITE/MAT



BURGUNDY




EMERALD GREEN



OPTIONAL RAL

MAIN OVEN LEFT:



← 60 →

GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

QDC120

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W


10 FUNCTIONS



QDC120

HOBS:

7 burners



**OPTIONAL
DUAL 5KW**



**ACCESSORIES
PAGE 31,35**


600 E3 + 600 E3

QDC1207E3 BLIND DOOR

QDC1207WE3 WINDOW

Fish pan burner: max 3,1 kW - min 1 kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



**OPTIONAL
DUAL 5KW**



**ACCESSORIES
PAGE 28-29, 31, 35**


600 E3 + 600 E3

QDC120FE3 BLIND DOOR

QDC120FWE3 WINDOW

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Coup de Feu



**OPTIONAL
DUAL 5KW**



**ACCESSORIES
PAGE 31,35**


600 E3 + 600 E3

QDC120SE3 BLIND DOOR

QDC120SWE3 WINDOW

"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



**OPTIONAL
DUAL 5KW**



**ACCESSORIES
PAGE 31,35**


600 E3 + 600 E3

QDC120BE3 BLIND DOOR

QDC120BWE3 WINDOW

Electric barbecue
Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry Top + 2 induction zones



**OPTIONAL
DUAL 5KW**



**ACCESSORIES
PAGE 28-29, 31, 35**

600 E3 + 600 E3

QDC120FIE3 BLIND DOOR

QDC120FIWE3 WINDOW

Two zone induction
Absorption 2 x 1,85 kW - maximum 3,7 kW
Digital display
Dial controls
Stainless steel
Child protective lock
9 power levels
Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Automatic reheating function
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:



DUAL BURNER 5KW